

# Town of Abita Springs

Date: 4/19/24	Type of Approval			
☐ Owner	☐ Sign ☐ Fence			
	☐ Other: Shingle Roof			
APPLICATION FOR PERMIT TO: (Briefly describe project- Use separate paper if necessary)				
Remove and replace 13,800 SF of shingle roofing system at Barre Center.				
APPLICANT NAME: Michael Peck				
Email:mpeck@usroof.com	Phone: (504) 717	7-8779		
Address: 2000 Preserve Lake Dr.	Covington, LA 70433			
	St. Jane De Chantel Church			
Email: Rsimon@arch-no.com	PPLICANT): St. Jane De Chantal Church			
Address: 72040 Maple St. Abita Sp				
Address: 72040 Maple St. Abita Sp	7111gS, LA 70421			
CONTRACTOR NAME & COMPAI	NY: US Roofing Systems LLC			
Email: mpeck@usroof.com Phone: (504) 717-8779				
Address: 2000 Preserve Lake Dr. 0	Covington, LA 70433			
	MDP	4/19/20		
Signature of Owner	Date Signature of Applicant	Date		
Do Not Write Below this Line				
•	E FINAL APPROVAL OF CONSTRUCTION. IF YOU B			
APPROVAL MUST BE Commissioners Initial	GIVEN BEFORE YOUR CERTIFICATE OF OCCUPANC	CY WILL BE ISSUED.		
Ron Blitch	Review Date:			
Otto Dinkelacker	Approved:			
Thad Mancil				
Andre Monnot	Commissioner Assigned:			
Paul Vogt Work Completed as Presented:				
	Inspected on Date:			







# Town of Abita Springs


## **SUBJECT PROPERTY**

Street Address or Legal Description: 72054 Map	ple St. Abita Springs, LA 70420		
Nearest Cross Streets: Main St., Hickory St.	Lot Dimensions:		
Work Begins:	Estimated Completion Date:		
DETAILS AROL	JT YOUR SIGN OR FENCI	=	
	or rook sidiv ok reivel	-	
SIGNS			
Location: ☐ Permanent ☐ Temporary	Location: On Building	☐ Hanging	
Size of Sign:	Two-Sided Sign? Yes	□No	
Sign Material:	Post Material:		
Height of Sign:			
Describe Sign Lighting:			
Notes:			
FENCE			
Location:			
Style:	Height:		
Material:			
<b>Type:</b> □ 4' Picket □ 7' Privacy □ 6	i' Privacy with 2' Lattice		
Set Back Requirements:			
Notes:			
DAINT DETAILS			
PAINT DETAILS			
Details:			
OTHER			
Give Details:			






















The SureNail® Difference— A technological breakthrough in roofing. The innovative features of Owens Corning® *TruDefinition*®

**Duration**<sup>®</sup> Shingles with **SureNail** Technology<sup>®</sup> offer the following:


**Breakthrough Design.** Featuring a tough, woven engineered reinforcing fabric to deliver consistent fastening during installation.

**Triple Layer Protection™.** A unique "triple layer" of reinforcement occurs when the fabric overlays the common bond of the shingle laminate layers that offers excellent fastener holding power.

**Excellent Adhesion.** Our enhanced Tru-Bond<sup>®‡</sup> sealant grips tightly to the engineered fabric nailing strip on the shingle below.

**Excellent Adhesive Power.** Specially formulated, wide adhesive bands help keep shingle layers laminated together.

**Exceptional Wind Resistance.** Engineered to deliver 209 KM/H\* / 130 MPH wind warranty performance with only 4 nails. 33% fewer nails are required for warranty protection<sup>1</sup>, which can mean fewer deck penetrations.

















BREATHE.



#### See map for colour availability in your area







Brownwood<sup>†</sup>





Teak<sup>†</sup>

Driftwood<sup>†</sup>





Onyx Black<sup>†</sup>

Quarry Gray<sup>†</sup>





Sierra Gray<sup>†</sup>

Harbour Blue<sup>†</sup> Not Available in Regions 2 & 3





Chateau Green<sup>†</sup>

Estate Gray<sup>†</sup>



#### **Product Attributes**

Warranty Length\*

Limited Lifetime<sup>‡‡</sup> (As long as you own your home)

Wind Resistance Limited Warranty\*



209 KM/H\* / 130 MPH

Algae Resistance Limited Warranty\*

Tru PROtection<sup>™</sup> Non-Prorated Limited Warranty\* Period

10 Years

### TruDefinition® Duration® Shingles **Product Specifications**

Nominal Size	13¹/₄" x 39³/ぉ"
Exposure	55/8"
Shingles per Square	64
Bundles per Square	3
Coverage per Square	98.4 sq. ft.

### **Applicable Standards and Codes**

ICC-ES AC438#



OWENS CORNING ROOFING AND ASPHALT, LLC ONE OWENS CORNING PARKWAY TOLEDO, OHIO, USA 43659

1-800-GET-PINK® www.owenscorning.ca







